

FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE  
PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.  
2026-4006US5SERIAL NO.  
09/943,722

## INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

APPLICANT(S)  
PAVLAKIS et alFILING DATE  
August 31, 2001GROUP ART UNIT  
TBA

## U.S. PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
J	4,652,639	3/24/87	STABINSKY	536	27	
J	RE 33,653	7/30/91	MARK ET AL.	424	85.1	
J	5,073,627	12/17/91	CURTIS ET AL	530	351	
J	5,082,767	1/21/92	HATFIELD ET AL	435	6	

## FOREIGN PATENT DOCUMENTS

	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO
J	WO 90/11092	Oct. 4, 1990	PCT/US	—	—		
J	0 335 635	Oct. 4, 1989	EPO	—	—		
J	0 345 242 A2	Dec. 6, 1989	EPO	—	—		

## OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Papers, Etc.)

J	B.A. Bunnell et al., "A Dominant Negative Mutation in Two Proteins Created by Ectopic Expression of an Au-Rich 3' Untranslated Region", Somataic Cell and Mol. Genet. <u>16</u> :151-162 (1990)
J	D. Caput et al., "Identification of a common nucleotide sequence in the 3'-untranslated region of mRNA molecules specifying inflammatory mediators", Proc. Natl. Acad. Sci. <u>83</u> :1670-1674 (1986)
J	P. Carter-Muenchau and R. Wolf, "Growth-rate-dependent regulation of 6-phosphogluconate dehydrogenase level mediated by an anti-Shine-Dalgarno sequence located within the <u>Escherichia coli gnd</u> structural gene", Proc. Natl. Acad. Sci., USA, <u>86</u> :1138-1142 (1989)
J	A.W. Cochrane et al., "Identification and Characterization of Intragenic Sequences Which Repress Human Immunodeficiency Virus Structural Gene Expression", J. Virol. <u>65</u> :5305-5313 (1991)


EXAMINER

Jeffrey Lien

DATE CONSIDERED

10/16/02

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



FORM PTO-1449		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTY. DOCKET NO. 2026-4006US5		SERIAL NO. 09/943,722	
INFORMATION DISCLOSURE CITATION (Use several sheets if necessary)				APPLICANT(S) PAVLAKIS et al			
				FILING DATE August 31, 2001		GROUP ART UNIT TBA	
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Papers, Etc.)							
JS				M.D. Cole and S.E. Mango, " <u>cis</u> -Acting Determinants of c-myc mRNA Stability, Enzyme 44:167-180 (1990)			
				M.D. Edge et al. "Total synthesis of a human leukocyte interferon gene", Nature 292:756-762 (1981)			
				M. Emerman, "The rev Gene Product of the Human Immunodeficiency Virus Affects Envelope-Specific RNA Localization", Cell 57:1155-1165 (1989)			
				B. Felber et al., "rev protein of human immunodeficiency virus type 1 affects the stability and transport of the viral mRNA", Proc. Natl. Acad. Sci. USA 86:1495-1499 (1989)			
				M. Hadzopoulou-Cladaras et al., "The rev (trs/art) Protein of Human Immunodeficiency Virus Type 1 Affects Viral mRNA and Protein Expression via a <u>cis</u> -Acting Sequence in the <u>env</u> Region", J. Virol. 63:1265-1274 (1989)			
				M.W. Hentze, "Determinants and regulation of cytoplasmic mRNA stability in eukaryotic cells", Biochem. Biophys. Acta 1090: 281-292 (1991)			
				E. Jay et al., "Chemical Synthesis of a Biologically Active Gene for Human Immune Interferon-γ", J. Biol. Chem. 259:6311-6317 (1984)			
				T. R. Jones and M.D. Cole, "Rapid Cytoplasmic Turnover of c-myc mRNA: Requirement of the 3' Untranslated Sequences", Mol. Cell Biol. 7:4513-4521 (1987)			
				R. Kamen et al., "A Novel Mechanism of Post Transcriptional, Sequence-Specific Regulation of mRNA Stability", J. Cell Bio. Supp. 10D (1986):152 (Abst. No. 0210)			
				D.M. Koeller et al., "Translation and the stability of mRNAs encoding the transferrin receptor and c-fos", Proc. Natl. Acad. Sci. USA, 88:7778-7782 (1991)			
				V. Kruys et al., "Constitutive activity of the tumor necrosis factor promoter is canceled by the 3' untranslated region in nonmacrophage cell lines; a trans-dominant factor overcomes this suppressive effect", Proc. Natl. Acad. Sci. USA, 89:673-677 (1992)			
JS				T.A. Kunkel, "Rapid and efficient site-specific mutagenesis without phenotypic selection", Proc. Natl. Acad. Sci. USA, 82:488-492 (1985)			
EXAMINER				DATE CONSIDERED			
J. Bybee				10/16/02			
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.							

FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE  
PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.  
2026-4006US5SERIAL NO.  
09/943,722

## INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

APPLICANT(S)  
PAVLAKIS et al.FILING DATE  
August 31, 2001GROUP ART UNIT  
TBA

## OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Papers, Etc.)

js		I.A. Laird-Offringa et al., "Rapid c-myc mRNA degradation does not require (A+U)-rich sequences or complete translation of the mRNA", Nucleic Acids Res. <u>19</u> :2387-2394 (1991)
		M.D. Lundigran et al., "Transcribed sequences of the <u>Escherichia coli</u> <u>btuB</u> gene control its expression and regulation by vitamin B <sub>12</sub> ", Proc. Natl. Acad. Sci. USA, <u>88</u> :1479-1483 (1991)
		F. Maldarelli et al., "Identification of Posttranscriptionally Active Inhibitory Sequences in Human Immunodeficiency Virus Type 1 RNA: Novel Level of Gene Regulation", J. Virol. <u>65</u> :5732-5743 (1991)
		K.P. Nambiar et al., "Total synthesis and Cloning of a Gene Coding for the Ribonuclease S Protein", Science <u>223</u> :1299-1301 (1984)
		R. Parker and A. Jacobson, "Translation and a 42-nucleotide segment within the coding region of the mRNA encoded by the <u>MAT<math>\alpha</math>1</u> gene are involved in promoting rapid mRNA decay in yeast", Proc. Natl. Acad. Sci. USA, <u>87</u> :2780-2784 (1990)
		C.A. Rosen, "Intragenic cis-acting <u>art</u> gene-responsive sequences of the human immunodeficiency virus", Proc. Natl. Acad. Sci., USA, <u>85</u> :2071-2075 (1988)
		S. Schwartz et al., "Distinct RNA Sequences in the <u>gag</u> region of Human Immunodeficiency Virus Type 1 Decrease RNA Stability and Inhibit Expression in the Absence of Rev Protein", J. Virol. <u>66</u> :150-159 (1992)
		G. Shaw and R. Kamen, "A Conserved AU Sequence from the 3' Untranslated Region of GM-CSF mRNA Mediates Selective mRNA Degradation", Cell <u>46</u> :659-667 (1986)
		G. Shaw and R. Kamen, "A Conserved AU Sequence from the 3' Untranslated Region of GM-CSF mRNA Mediates Selective mRNA Degradation", J. Cell. Bio. Supp. <u>11C</u> (1987):132 (Abst. No. L541)
js		A.-B. Shyu et al., "Two distinct destabilizing elements in the c-fos message trigger deadenylation as a first step in rapid mRNA decay", Gen. & Devel. <u>5</u> :221-231 (1991)


EXAMINER

Jeffrey Lewis

DATE CONSIDERED

10/16/02

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE  
PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.  
2026-4006US5SERIAL NO.  
09/943,722

## INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

APPLICANT(S)  
PAVLAKIS et al.FILING DATE  
August 31, 2001GROUP ART UNIT  
TBA

## OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Papers, Etc.)

js		C.M. Stoltzfus and S.J. Fogarty, "Multiple Regions in the Rous Sarcoma Virus <u>src</u> Gene Intron Act in <u>cis</u> To Affect the Accumulation of Unspliced RNA", J. Virol. <u>63</u> :1669-1676 (1989)
		T. Wilson and R. Treisman, "Removal of poly(A) and consequent degradation of c-fos mRNA facilitated by 3' AU-rich sequences", <u>Nature</u> <u>336</u> :396-399 (1988)
		R. Wisdom and W. Lee, "The protein-coding region of c-myc mRNA contains a sequence that specifies rapid mRNA turnover and induction by protein synthesis inhibitors", Gen. & Devel. <u>5</u> :232-243 (1991)
		D.H. Wreschner and G. Rechavi, "Differential mRNA stability to reticulocyte ribonucleases correlates with 3' non-coding (U) <sub>n</sub> A sequences", Eur. J. Biochem. <u>172</u> :333-340 (1988)
		Schwartz et al., "Mutational Inactivation of an Inhibitory Sequence in HIV-1 Results in Rev-independent gag Expression", Journal of Virology, Vol. 66, <u>12</u> :7176-7182 (1992) (Published after filing date of 07/858,747 priority application.)
		Copy of PCT Search Report
		Albert B Sabin, "Improbability of effective vaccination against human immunodeficiency virus because of its intracellular transmission and rectal portal of entry", Proc. Natl. Acad. Sci. USA, <u>89</u> :8852-8855 (September 1992) (See whole document, especially abstract and right column of p. 8854) ("Reference 1")
		Saladin Osmanov et al., "HIV-1 Genetic Variability: Implications for the Development of HIV Vaccines", Antibiotics and Chemotherapy, <u>48</u> :30-38 (1996) (See whole document, especially pp. 35-36) ("Reference 2")
		Kavita S. Lole, et al., "Full-Length Human Immunodeficiency Virus Type 1 Genomes from Subtype C-Infected Seroconverters in India, with Evidence of Intersubtype Recombination", Journal of Virology, <u>73</u> :152-160 (January 1999) (See whole document, especially abstract) ("Reference 3")
js		"Nikkei Biotechnology Annual Report '98", Ed. NIKKEI BIOTECH, (Nov. 30, 1997), Nikkei Business Publications, Inc., p. 214 (English translation of table on page 214, lines 30-35 entitled "The recent stream of research and development on AIDS") ("Reference 4")

EXAMINER

Jeffrey Lewis

DATE CONSIDERED

10/16/02

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE  
PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.  
2026-4006US5SERIAL NO.  
09/943,722

## INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

APPLICANT(S)  
PAVLAKIS et al.FILING DATE  
August 31, 2001GROUP ART UNIT  
TBA

## OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Papers, Etc.)

js		"Nikkei Biotechnology Annual Report '97", Ed. NIKKEI BIOTECH, (Nov. 30, 1996), Nikkei Business Publications, Inc., p. 246 (English translation of a table on page 246, lines 43-46 entitled "The recent stream of biotechnological research on AIDS") ("Reference 6")
		"Nikkei Biotechnology Annual Report '99", Ed. NIKKEI BIOTECH, (Nov. 30, 1998), Nikkei Business Publications, Inc., p. 79 (English translation of table on p. 79, lines 14-17 entitled "The main stream of research and development on AIDS") ("Reference 7")
		R.I. Connor, et al., "Immunological and Virological Analyses of Persons Infected by Human Immunodeficiency Virus Type 1 while Participating in Trials of Recombinant gp120 Subunit Vaccines", Journal of Virology, <u>72</u> :1552-1576 (February 1998) (See whole document, especially abstract) ("Reference 5")
		K.-C. Chou, et al., "Diagrammatization of Codon Usage in 339 Human Immunodeficiency Virus Proteins and Its Biological Implication", AIDS Research and Human Retroviruses, <u>8</u> :1967-1976 (1992)
		J. Cohen, et al., (abstract) "Expression of the HIV-1 env (gp160) in the yeast <i>Saccharomyces cerevisiae</i> via expression/secretion vectors and partial characterization of the gene product", in Modern Approaches New Vaccines, 64 (1988)
		B. Coulombe, et al., "Expression of a synthetic human interferon- $\alpha_1$ gene with modified nucleotide sequence in mammalian cells", Gene, <u>46</u> :89-95 (1986)
		D. M. D'Agostino, et al., "The Rev Protein of Human Immunodeficiency Virus Type 1 Promotes Polysomal Association and Translation of <i>gag/pol</i> and <i>vpu/env</i> mRNAs", Molecular and Cellular Biology, <u>12</u> :1375-1386 (1992)
js		M.B. Feinberg, et al., "HTLV-III Expression and Production Involve Complex Regulation at the Levels of Splicing and Translation of Viral RNA", Cell, <u>46</u> :807-817 (1986)


EXAMINER

Jeffrey Lew

DATE CONSIDERED

10/16/01

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE  
PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.  
2026-4006US5SERIAL NO.  
09/943,722

## INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

APPLICANT(S)  
PAVLAKIS et al.FILING DATE  
August 31, 2001GROUP ART UNIT  
TBA

## OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Papers, Etc.)

88		E. Fortkamp, et al., "Cloning and Expression in <i>Escherichia coli</i> of a Synthetic DNA for Hirudin, the Blood Coagulation Inhibitor in the Leech", DNA, <u>5</u> :511-517 (1986)
		Grantham et al., "AIDS virus and HTLV-I differ in codon choices", Nature <u>319</u> :727-728 (1986)
		M.-L. Hammar skjöld, et al., "Regulation of Human Immunodeficiency Virus <i>env</i> Expression by the <i>rev</i> Gene Product," Journal of Virology, <u>63</u> :1959-1966 (1989)
		R.A. Hernan, et al., "Human Hemoglobin Expression in <i>Escherichia coli</i> : Importance of Optimal Codon Usage", Biochemistry <u>31</u> :8619-8628 (1992)
		H. Kamiya, et al., "Transformation of NIH3T3 Cells with Synthetic c-Ha-ras Genes", Jpn J. Cancer Res. <u>80</u> :200-203 (1989)
		J. Kypr, et al., "Unusual codon usage of HIV", Nature <u>327</u> :20 (1987)
		J.R. McCarrey, "Molecular evolution of the human P <sub>gk</sub> -2 retroposon", Nucleic Acids Res. <u>18</u> :949-955 (1990)
		T. Nakamura, et al., "Two types of linkage between codon usage and gene-expression levels", FEBS Letters <u>289</u> :123-125 (1991)
		C.B. Newgard, et al., "Sequence analysis of the cDNA encoding human liver glycogen phosphorylase reveals tissue-specific codon usage", Proc. Natl. Acad. Sci. USA <u>83</u> :8132-8136 (1986)
88		S.H. Rangwala, et al., "High-level production of active HIV-1 protease in <i>Escherichia coli</i> ", Gene <u>122</u> :263-269 (1992)

EXAMINER

Jeffrey Liu

DATE CONSIDERED

10/16/01

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTY. DOCKET NO. 2026-4006US5		SERIAL NO. 09/943,722	
<b>INFORMATION DISCLOSURE CITATION</b> (Use several sheets if necessary)							
				APPLICANT(S) PAVLAKIS et al.			
				FILING DATE August 31, 2001		GROUP ART UNIT TBA	
<b>OTHER DOCUMENTS</b> (Including Author, Title, Date, Pertinent Papers, Etc.)							
js				M. Robinson, et al., "Codon usage can affect efficiency of translation of genes in <i>Escherichia coli</i> ", Nucleic Acids Research <u>12</u> :6663-6671 (1984)			
				C.A. Scorer, et al., "The intracellular production and secretion of HIV-1 envelope protein in the methylotrophic yeast <i>Pichia pastoris</i> ", Gene <u>136</u> :111-119 (1993)			
				R. Seetharam, et al., "Mistranslation in IGF-1 During Over-Expression of the Protein in <i>Escherichia coli</i> Using a Synthetic Gene Containing Low Frequency Codons," Biochem. Biophys. Res. Comm. <u>155</u> :518-523 (1988)			
				P. M. Sharp, "What can AIDS virus codon usage tell us ?", Nature <u>324</u> :114 (1986)			
				P.M. Sharp, et al., "Codon usage patterns in <i>Escherichia coli</i> , <i>Bacillus subtilis</i> , <i>Saccharomyces cerevisiae</i> , <i>Schizosaccharomyces pombe</i> , <i>Drosophila melanogaster</i> and <i>Homo sapiens</i> ; a review of the considerable within-species diversity", Nucleic Acids Res. <u>16</u> :8207-8211 (1988)			
				F.J. van Hemert, et al., "The Tendency of Lentiviral Open Reading Frames to Become A-Rich: Constraints Imposed by Viral Genome Organization and Cellular tRNA Availability", Journal of Molecular Evolution, <u>41</u> :132-140 (1995)			
				D.P. Williams, et al., "Design, synthesis and expression of a human interleukin-2 gene incorporating the codon usage bias found in highly expressed <i>Escherichia coli</i> genes", Nucleic Acids Research <u>16</u> :10453-10467 (1988)			
js				S. Zhang, et al., "Low-usage codons in <i>Escherichia coli</i> , yeast, fruit fly and primates", Gene, <u>105</u> :61-72 (1991)			
EXAMINER				DATE CONSIDERED			
Jeffrey Lee				10/10/02			
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.							

